A

Abmayr W, 903
Abrams JS, 10
Acevedo A, 659
Ahmed I, 43
Aickin M, 892
Akazaki S, 254
Akers W, 156
Al-Daccak R, 697
Allison AC, 106
Amagai M, 249, 725
Amkraut A, 447
Ananthaswamy HN, 880
Andersen AH, 701
Anderson RR, 126
Ando M, 742
Anhalt GJ, 478
Aramburu J, 659
Arenberger P, 1028
Asahina A, 254
Astrom A, 917
Atillasoy EJ, 1086
Atkinson B, 20
Aubin F, 50, 995
Aucouturier P, 259
Aumailley M, 240
Avots-Avotins A, 175
Avril M-F, 425
Azogui O, 425

B

Baadsgaard O, 818
Baer RL, 461
Bagot M, 953
Bakels V, 782
Baker BS, 606
Ballaron SJ, 156
Barker JNWN, 606
Barnetson RStC, 197, 830
Barnett SK, 1057
Basse B, 701
Basset-Seguin N, 672
Bedane C, 3
Belsito DV, 461
Benezra C, 473
Benne K, 885
Benner R, 885
Berger J, 1081
Berger R, 73
Bergstresser PR, 165
Berman B, 686
Bernard P, 3, 259
Bernstein EF, 430
Berry DL, 159
Bertaux B, 679
Bertino JR, 137
Bertolino AP, 354, 835
Bettinger S, 1061
Bevilacqua PM, 151, 1001
Bieber T, 160, 600
Bikle DD, 435
Binet O, 697
Bittoun J, 120
Blacker KL, 442
Blake JS, 955
Blanchard JM, 672
Blasi NA, 473
Blaüer M, 264
Blight A, 746
Blumenberg M, 969
Boehm-Wilcox C, 624
Boehncke W-H, 1053
Boissy RE, 395
Bonifas JM, 383
Bonnetblanc J-M, 3, 259
Boonstra J, 334
Borgognoni L, 537
Bos JD, 389
Bosnic M, 624
Bouwes Bavinck JN, 269
Bouwstra JA, 1005
Boyce ST, 649
Boyer TD, 442
Braquet P, 101
Bras W, 1005
Braun-Falco O, 903
Braverman IM, 1013
Breathnach SM, 693
Briggaman RA, 580
Brisson C, 756
Brockhaus M, 911
Brown C, 373
Brown KA, 511
Brown WR, 273
Brunner-Ferber F, 793
Brzokewicz A, 771
Buckmeier JA, 349
Buhl AE, 835
Bull HA, 618, 787
Bunker CB, 618
Buno IJ, 405
Burchill SA, 340
Burtis WJ, 1086
Bystryn J-C, 312, 1078

C

Cai J-P, 169
Caillou B, 425
Carre C, 101
Carter DM, 849
Catanzano G, 3
Cathelineau C, 771
Cazenave J-P, 160, 756
Celis A, 701
Celis JE, 701
Cermakova E, 120
Chadwick CA, 942
Chandler JP, 175
Chapman SJ, 959
Checkla DM, 354
Chen YQ, 281
Cheshire IM, 746
Cheung MM, 799
Chiba S, 1024
Chin Y-H, 169
Chou I-N, 985
Christophers E, 291, 607, 1053
Chu M-L, 240
Chung WL, 323
Churchill LJ, 763
Claas FHJ, 269, 629
Clausen H, 713
Cockerell CJ, 812
Cohen AJ, 942
Cohen J, 787
Cohen JJ, 111
Connolly D, 969
Connor JR, 1019
Contard P, 638
Cooper KD, 286
Cooper ML, 649
Cormier M, 447
Craggs RI, 417
Crameri FM, 223
Creek KE, 298
Crooks C, 974
Croute F, 1061
Cui J, 410, 1078
Cullander C, 55
Cullare C, 922
Cuono C, 974
Cuono CB, 843
Czarnetzki BM, 549, 751

D

Dabelsteen E, 713
Dahl MV, 955
Dall'Acqua F, 50
Dalsgaard C-J, 1039
Dalton BJ, 1019
Danielpour D, 634
Danks JA, 1086
Danø K, 803
Darley CR, 555
Davidson JM, 34
de Castellarnau C, 922
de Moragas JM, 922
Degos L, 697
Dejgaard K, 701
Delespesse G, 600
Deleuran BW, 506
Delvoye P, 898
Demidem A, 454, 953
Denis F, 259
DeYoung LM, 156
Diezel W, 478
Ding TG, 974
Dionisius V, 771
Ditesheim JA, 34
Douay C, 697
Dowd PM, 511, 618, 787
Dubertret L, 3, 679, 793, 953
Dubertret M-L, 793
Dumonde DC, 511
Duncan MR, 686
Dupuy P, 953
Durden F, 974
Durepaire N, 259
Dyson M, 586

E

Eady RAJ, 959
Ebihara T, 742
Eckert R, 478, 974
Eckert RL, 543
Eckes B, 862
Edelson RL, 151
Edler L, 421
Eisen AZ, 679
Elgart GW, 249
Elliott K, 345
Ellis BA, 511
Engvall E, 562
Epstein EH Jr, 383
Epstein SP, 461
Eriksen J, 803
Ernst V, 230
Escaich S, 91
Escot C, 672
Esquenazi-Behar S, 305
Eugui EM, 106

F

Fabre M, 756
Falanga V, 169, 634
Falciano V, 156
Fazio MJ, 281
Feichtinger H, 693
Fenjves ES, 824
Fernańdez-Herrera J, 659
Fernańdez-Ranāda JM, 659
Ficarra G, 537
Fisher GJ, 286
Fleischmajer R, 638
Flotte TJ, 131
Fraginals R, 473
Frank DH, 649
Freedberg IM, 354
Freese UK, 421
Friedman-Kien AE, 812
Friedmann P, 1094
Fronek Z, 799
Frosch P, 230
Fry L, 606
Fryer PR, 501
Fujita M, 65
Furcht LT, 573
Furukawa F, 65

G

Gachet C, 756
Gaglioti D, 537
Gallo RL, 203
Gange RW, 131
Garbe C, 364
Garcia-Gonzalez E, 190
Garlick JA, 824
Gasparro FP, 151, 1001
Gee E, 435
Gelehrter TD, 803
Gensler HL, 892
Gerberick GF, 210
Gibson WT, 417
Gilchrest BA, 611
Gillitzer R, 73
Gissmann L, 421
Glass J, 430
Glatstein E, 430
Glenn TC, 874
Goldberg LH, 880
Goldsmith LA, 156
Golitz LE, 748
Gonzalez E, 1048
Gonzalez FA, 223
Gooris GS, 1005
Gordijn RLJ, 782
Grammer SF, 454, 953
Granstein RD, 203
Greaves MW, 511
Green LA, 147
Greenspan JS, 421
Greenspan D, 421
Griffiths CEM, 606, 917
Griswold DE, 1019
Grogan TM, 892
Groppi V, 835
Gross E, 1028
Gruner S, 478
Gruñewald K, 693
Guilhou JJ, 672
Guillard M, 425
Guy RH, 55

H

Haake AR, 776
Haas N, 549
Haegerstrand A, 1039
Haftek M, 1061
Hake SS, 405
Hakomori S-I, 713
Hall RP, 318, 568
Halliday GM, 197, 830
Hamasaki Y, 80
Hamilton TA, 1048
Hammerberg C, 286
Hanau D, 160, 756
Hanbury AM, 799
Hand AR, 517
Handoko HY, 15
Haniuda K, 1024
Hanna N, 1019
Hansbrough JF, 649
Hansen ER, 818
Haque Z, 938
Haramaki N, 1044
Harisiadis L, 430
Harning R, 1078
Hasegawa A, 725
Hashiba H, 97
Hashimoto K, 85
Hashimoto T, 725, 742
Hatamochi A, 483
Hatzenbuhler NT, 835
Hauser U, 230
Haussler MR, 230
Haustein UF, 219
Havekes LM, 334
Hawk JLM, 942
Hay RJ, 955
Hayman JA, 1086
He D, 305, 488
Heckmann M, 219
Heidenheim M, 818
Henneicke-von Zepelin H-H, 291

0022-202X/91/$03.50 Copyright © 1991 by The Society for Investigative Dermatology, Inc.

Herlyn M, 20
Herrmann K, 219
Herron MJ, 955
Herzberg AJ, 495
Hickman R, 586
Hidaka T, 115
Higgins EM, 340
Hill TJ, 933
Hillegass L, 1019
Hintner H, 693
Hodam JR, 298
Honore B, 701
Horiguchi Y, 65
Hornebeck W, 679
Hors J, 697
Hsiao LL, 240
Hufeisen S, 974
Huff JC, 163
Hunzelmann N, 667, 862

I

Ichihashi M, 735
Idy-Peretti I, 120
Ikeda K, 85
Ikeda S, 644
Ikeguchi N, 725
Ilnicka M, 106
Imamura S, 65
Inagaki Y, 80
Inoue M, 327
Ishibashi Y, 254
Ishida-Yamamoto A, 959
Isono T, 327
Ito M, 85
Ito S, 340
Ito T, 1024
Iwatsuki K, 742

J

Jaakkola S, 240, 562
Jablonska S, 862
Jacobs L II, 638
Jacques SL, 874
Jensen PKA, 506
Jerry LM, 183
Jiang C-K, 969
Joensuu T, 264
Johnson JP, 667
Jolivet O, 120
Jørgensen P, 506
Juji T, 254
Jung C, 667

K

Kadunce DP, 175
Kagnoff MF, 799
Kahaŕi V-M, 281
Kanitakis J, 91
Kapp A, 27, 911
Kapsenberg ML, 389
Karanth SS, 555
Karasawa M, 97
Kashihara-Sawami M, 65
Katayama H, 949
Kath R, 20
Katz AB, 824
Katz MH, 634
Kawabe TT, 835
Kawano S, 483
Kaytes PS, 835
Kemeńy L, 1028
Kerai C, 672
Kerl H, 137, 161
Kerns BJ, 495
Khalil I, 697
Kibitel JT, 147
Kiil J, 701
Kim KS, 812
King IA, 501
King RA, 15
Kinney RB, 495
Kirkham N, 555
Kirnbauer R, 27
Kitagawa S, 949
Kitajima Y, 1032
Klaus-Kovtun V, 249
Knisely TL, 203
Knopf B, 604
Kobata A, 735
Kobayashi Y, 722
Kohno M, 115
Konwalinka G, 693
Kootte AMM, 269
Krasagakis K, 364
Kratz G, 1039
Krejci NC, 843
Krieg T, 219, 667, 862
Kripke ML, 50, 995
Kristensen MS, 506
Kristensen P, 803
Krueger JG, 849
Kruğer S, 364
Krutmann J, 911
Kubota Y, 190
Kulozik M, 219
Kuroki T, 97
Kuwata S, 254

L

Lafreniere R, 183
Landthaler M, 903
Lane EB, 763, 959
Lang S, 586
Langdon RC, 843
Langston A, 383
Lapiere CM, 898
Larsen CG, 506
Laurent SJ, 517
Lauridsen JB, 701
Lavaud P, 101
Lawley TJ, 190
Ledger PW, 447
Lee JC, 1019
Lee LA, 609
Lee SW, 106
Leff JA, 405
Leffers H, 701
Leigh I, 501
Leigh IM, 763, 959
Lemarchand F, 697
Leong I, 849
Lepage V, 697
Lepoittevin J-P, 473
LeRoy F, 511
Leveque J-L, 120, 898
Lever LW, 980
Levick PL, 746
Ley RD, 624
Lhotta K, 693
Liaw L-HL, 874
Lieu T-S, 373
Lim HW, 305, 488
Lin AN, 849
Lisby S, 818
Liu Y-Y, 395
Loetscher H, 911
Lombardi P, 334
Longley J, 974
Lopez J, 659
Lopez-Botet M, 659
Luger TA, 27
Lund LR, 803

M

MacDonald ED II, 638
MacDonald DM, 763
Madsen P, 701
Maeda K, 183
Maibach HI, 126, 927, 1087
Majewski S, 667, 862
Mall G, 230
Mandel U, 713
Margulis A, 425
Markey AC, 763
Marks JM, 340
Martin TJ, 1086
Marty JP, 447
Massoudy P, 903
Masumoto H, 378
Masuyama J-i, 949
Matsushima K, 593
Mauch C, 667
McCall CA, 111
McCarthy JB, 573
McCarthy SW, 197
McCarthy WH, 197
McCullough JL, 874
McEwan MT, 868
McGrath JA, 959
McGregor JM, 955
McGuire J, 843
McMurry MP, 175
McNab AR, 835
Meadows GG, 1073
Mechanic G, 580
Mednieks MI, 517
Medrano EE, 395
Meijer CJLM, 782
Melber K, 20
Mellette JR, 162
Mencia-Huerta J-M, 101
Menssen H-D, 20
Mentink MM, 15
Messenger AG, 345
Metzman MS, 729
Meyer LJ, 175
Meyskens FL Jr, 349
Michaud NA, 131
Michel L, 953
Michel S, 771
Mielke V, 73
Miki K, 725
Miki Y, 722
Milde P, 230
Millard PJ, 223
Mils V, 1061
Milstone LM, 1086
Mishima Y, 735
Misiti J, 793
Mitchell JB, 430
Mitsui H, 1032
Moles JP, 672
Moller A, 27
Mommaas AM, 629
Morhenn VB, 106
Mori M, 537
Morin L, 697
Morita T, 483
Moseley JM, 1086
Motoyoshi K, 85
Moulon C, 524
Mountford EM, 746
Mrowietz U, 529
Mukhtar H, 323
Muller C, 73
Muro Y, 378
Murphy GM, 942
Mutha S, 383

N

Naher H, 421
Nakagawa H, 254
Nanney LB, 34
Nau H, 159
Nelson JS, 874
Nelson RD, 955
Neuner P, 27
Nguyen U, 985
Nickoloff BJ, 606
Nieboer C, 604
Niimi Y, 312
Nikaein A, 606
Nischt R, 862
Nishi J, 115, 1044
Nishikawa T, 725, 742
Nishimura N, 97
Nishimura H, 97
Nordlund JJ, 395
Norris DA, 381, 405, 605, 1088, 1090
Norton J, 430
Nozaki S, 10
Nusgens BV, 898

O

Oetting WS, 15
Ogawa H, 644
Ogawa K, 327
Ogura R, 115, 1044
Ohashi M, 378
Ohkawara A, 742
Ohlmann P, 756
Okazaki T, 378
O'Keefe E, 534
O'Leary J, 281
Olsen E, 701
Olson E, 442
Orfanos CE, 364
Orth G, 862
Osborn C, 586
Otley CC, 318
Ouhayoun J-P, 1061
Out-Luyting C, 629
Owada MK, 1032

P

Paller AS, 15
Paludan K, 506
Pang SY-Y, 354
Parish EJ, 771
Parlow F, 911
Parsons PG, 868
Pauli S-L, 264
Paus R, 747
Payne RE Jr, 534
Pearce MK, 10
Peğuet-Navarro J, 524, 953
Peltonen J, 240, 562
Petersen OW, 713
Petzoldt D, 421
Phillips CL, 980
Piepkorn M, 43
Pierceall WE, 880
Pillai S, 435
Pimpinelli N, 537
Pinnell SR, 980
Pisetsky DS, 568
Polak JM, 555, 618
Pollack SV, 495
Ponec M, 334
Potten CS, 942
Prade M, 425
Prens EP, 885
Prisayanh P, 938
Prost C, 3, 259
Przybilla B, 1028
Puig L, 922
Purkis PE, 501

Q

Qian SW, 634
Quaglino D Jr, 34
Quarles LD, 980
Querleux B, 120

R

Rafal ES, 1048
Ralfkiaer E, 803
Randall VA, 345
Rasmussen HH, 701
Ratz GP, 701
Rauterberg EW, 230
Raza H, 323
Rea TJ, 835
Reáno A, 1061
Reeve VE, 624, 830
Reichert U, 771
Riethmuller G, 667
Repine JE, 405
Reusch MK, 291
Reuveni H, 1057
Riccardi R, 537
Richard S, 120
Ridder GM, 210
Roberts AB, 634
Robinson M, 511
Rodeck U, 20
Rodrigue F, 101
Rolland A, 771
Romagnoli P, 537
Rømer J, 803
Rorke EA, 543
Rosenfield RL, 517
Rudnicka L, 862
Russo A, 430
Ruzicka T, 1028
Ryan CA, 210
Rybski JA, 892
Ryynañen J, 562

S

Saämañen A-M, 126
Saitta B, 281

Sakai LY, 638
Salomon G, 430
Santella RM, 1001
Sato Y, 85
Sauder DN, 10, 203
Sayama K, 722
Schaarschmidt H, 604
Schadendorf D, 549, 751
Schallreuter KU, 1081
Schechner JS, 1013
Schmidt R, 771
Schmieder GJ, 729
Schmitt D, 524
Schmitt DA, 160, 756
Schmitt-Egenolf M, 1053
Schmoeckel C, 903
Schopf E, 27, 911
Schroder J-M, 291, 607
Schwartz E, 638
Schwartz PM, 1057
Schwarz T, 27
Scott GA, 776
Sepp N, 693
Serre G, 1061
Seto A, 327
Seya T, 722
Sharma RP, 159
Shen L-y, 410
Shimizu N, 725
Shiraishi S, 722
Shirakata Y, 722
Shroot B, 771
Sieg DJ, 1019
Siems W, 478
Simon P, 1019
Simon T, 230
Skubitz APN, 141, 573
Slattery JP, 223
Slavin B, 511
Slominski A, 747
Smid P, 291
Smolle J, 161
Sola J, 922
Soleilhavoup J-P, 1061
Sollberg S, 240, 430
Sontheimer RD, 165, 373
Sørensen H, 713
Soter NA, 305
Soyer HP, 137
Spielvogel RL, 649
Spinowitz A, 147
Sporn MB, 634
Springall DR, 555, 618
St.Hilaire P, 298
Stander M, 1053
Stanley JR, 249
Staszewski R, 203
Sterry W, 162, 1053
Sticherling M, 607
Stingl G, 73
Stolz W, 903
Streilein JW, 454, 729, 953
Strunk D, 478
Stuard SB, 210
Sugiyama M, 115, 1044
Sun T-T, 354
Surber C, 927
Suter MM, 223
Swerlick RA, 190

T

Tabiowo A, 501
Taichman LB, 824,
Takasaki S, 735
Takeda K, 483
Takigawa M, 742
Talbot T, 430
Tammi M, 126
Tammi R, 126
Tanaka M, 725
Taylor CR, 131
Taylor JR, 454, 729, 953
te Pas MFW, 334
Tefany FJ, 197
Terada K, 483
Terenghi G, 618
Ternowitz T, 529
Thestrup-Pedersen K, 506, 593
Thivolet J, 91
Thody AJ, 340
Thomas KA, 793
Thornton MJ, 345
Thrall BD, 1073
Tiedemann K-H, 549
Tierno PM, 812
Timpl R, 240
Tohyama C, 97
Tokunaga K, 254
Touvay C, 101
Trautinger F, 27
Trefzer U, 911
Trepo C, 91
Tsubata T, 725
Tuohimaa P, 264

U

Ueda M, 65
Ueki H, 80, 483
Uitto J, 240, 281, 430, 562
Ullrich SE, 995
Urbanski A, 27

V

Vaalasti A, 264
van den Berg J-W, 729
van der Heijden, FL, 389
van der Spek JA, 1005
Van Der Woude FJ, 269
van Joost T, 885
van Oostveen JW, 782
van Praag MCG, 629
Vandekerckhove J, 701
Vandenbroucke JP, 269
Varani J, 917
Varello M, 20
Vedtofte P, 713
Vejlsgaard GL, 818
Vejlsgaard G, 1093
Velthuis PJ, 604
Vermeer B-J, 629
Vermeer BJ, 269
Vermeer M, 729
Vessey DA, 442
Vila L, 922
Vincent C, 1061
Vogeli G, 835
Volkenandt M, 137
Von Bargen EC, 210
von Knebel Doeberitz C, 421
von Knebel Doeberitz M, 421
Voorhees JJ, 286, 917
Vora AJ, 511

W

Wada T, 483
Wakamatsu K, 340
Walboomers JMM, 782
Walbum E, 701
Wallach D, 697
Wang G-c, 410
Ward MM, 568
Weber-Matthiesen K, 162
Wenstrup RJ, 318, 980
Westgate GE, 417
Weston WL, 1, 749
Weyrer K, 693
White JG, 15
Wiedow O, 529
Wierenga EA, 389
Wilhelm K-P, 927
Wiliquet P, 898
Wilke MS, 141, 573
Willemze R, 782
Willhite CC, 159
Williams NA, 933
Wolff K, 73
Wollina U, 604
Wood GS, 974
Wood JM, 1081
Woodley DT, 580, 938
Wortsman J, 747
Wright WH, 874
Wynn KC, 580

X

Xu Y, 190

Y

Yaar M, 611
Yamade I, 327
Yamamura K, 735
Yamanishi DT, 349
Yamauchi M, 580, 938
Yancey KB, 305
Yaoita H, 949
Yarosh DB, 147
Yin B, 1001
Ylikomi T, 264
Yohn JJ, 949, 405
Yoita H, 1032
Yokoyama H, 85
Yoshida Y, 80
Yoshikawa T, 729
Young AR, 942
Young SR, 586
Yrastorza DG, 405
Yu D-w, 354

Z

Zachariae COC, 506, 593
Zamansky GB, 985
Zeheb R, 803
Zhao Y, 618
Zhu ZX-J, 312
Ziegler-Heitbrock HWL, 667
Zone JJ, 175

A

ABCs of Research Grant Writing: The Advice of Two Grant Reviewers, The, *Editorial*, Sontheimer RD, Bergstresser PR, 165
Acellular reticular dermis, 843
Acidic fibroblast growth factor, 793
Activation of Collagen Gene Expression in Keloids: Co-Localization of Type I and VI Collagen and Transforming Growth Factor-β1 mRNA, Peltonen J, Hsiao LL, Jaakkola S, Sollberg S, Aumailley M, Timpl R, Chu M-L, Uitto J, 240
Activation of Keratinocytes with Psoralen plus UVA Radiation Induces the Release of Soluble Factors that Suppress Delayed and Contact Hypersensitivity, Aubin F, Kripke ML, Ullrich SE, 995
Activation of the IL-1 Gene in UV-Irradiated Mouse Skin: Association with Inflammatory Sequelae and Pharmacologic Intervention, Griswold DE, Connor JR, Dalton BJ, Lee JC, Simon P, Hillegass L, Sieg DJ, Hanna N, 1019
Activities of Human Acidic Fibroblast Growth Factor in an In Vitro Dermal Equivalent Model, Dubertret L, Brunner-Ferber F, Misiti J, Thomas KA, Dubertret M-L, 793
Adverse Effect of Lignocaine (Lidocaine) on Skin Destined for Keratinocyte Culture, *Letter*, Mountford EM, Blight A, Cheshire IM, Levick PL, 746
Aged human skin, 938
Alantolactone, 473
Albinism, oculocutaneous, 15
All-trans retinoic acid, 917
Alloactivating capacity, effect of topical sunscreens on the UV-radiation-induced suppression of, 629
Allogeneic T-cell activation, 524
Alpha-fodrin, 383
AMP-receptor protein activity, 517
Amyloidosis, cutaneous, 693
Androgen receptor, 264
Androgens, 345
Annexin I, 1032
Anti–CENP-B antibodies, 378
Antibodies
  bullous pemphigoid, 725
  pigment cell, 1078
Antigen proteins, bullous pemphigoid, 725
Antigen
  bullous pemphigoid, 3
  cicatricial pemphigoid, 3
Antigen-presenting cells, epidermal, 454
Antigens
  CD1a, on Langerhans cells, 160
  human cornified epithelia, of 1061
  lymphocyte function–associated, 885
Antiproliferative Effects of Enzymatic Deglycosylation and Metabolic Undersulfation of Proteoglycans from the Cell Surface, The, Ahmed I, Piepkorn M, 43
Arachidonic acid, 291
Are CD1a Antigens on Langerhans Cells Empty Class I-Like Molecules That Come Out in the Cold? *Letter*, Schmitt DA, Hanau D, Cazenave J-P, Bieber T, 160
Arteries, simian digital, 1024
Atlas of Cutaneous Facial Flaps and Grafts: A Differential Diagnosis of Wound Closures, By Ronald L. Moy, *Book Review*, Mellette JR, 162
Atopic dermatitis lesional skin, 389
ATP, extracellular, 223
ATPase, Langerhans cell, 478
Augmentation of Granulocyte/Macrophage Colony-Stimulating Factor Expression by Ultraviolet Irradiation Is Mediated by Interleukin 1 in Pam 212 Keratinocytes, Nozaki S, Abrams JS, Pearce MK, Saude DN, 10
Autoantigens for IgA Anti-Intercellular Antibodies of Intercellular IgA Vesiculopustular Dermatosis, *Rapid Communication*, Ebihara T, Hashimoto T, Iwatsuki K, Takigawa M, Ando M, Ohkawara A, Nishikawa T, 742
Autocrine Stimulation of Interleukin-1α and Transforming Growth Factorα Production in Human Keratinocytes and Its Antagonism by Glucocorticoids, Lee SW, Morhenn VB, Ilnicka M, Eugui EM, Allison AC, 106
Autologous melanoma cells, 425
Autoreactive Proliferative Responses by T-Cell Lines Isolated from Psoriatic Lesions, *Letter*, Baker BS, Fry L, 606

B

B16-F10 murine melanoma, 183
B16BL6 melanoma cells, murine, 1073
Bacillary (epithelioid) angiomatosis, 812
Bartonellosis, 812
Basal Cell Glycoprotein in Pig Epidermis Closely Resembles the β_1 Subunit of the Integrin Family of Cell Adhesion Molecules, King IA, Tabiowo A, Fryer PR, Purkis PE, Leigh I, 501
Basement membrane zone antigens, 312
Benign familial chronic pemphigus, 644
Benign nevocytic nevi, 903
β_1 subunit of the integrin family of cell adhesion molecules, 501
β4 integrins in human skin, 562
Biochemical Identification of Alpha-Fodrin and Protein 4.1 in Human Keratinocytes, Mutha S, Langston A, Bonifas JM, Epstein EH Jr, 383
Birbeck granules, 65, 756
Blood Mononuclear Cells from Patients with Psoriasis Exhibit an Enhanced Adherence to Cultured Vascular Endothelium, LeRoy F, Brown KA, Greaves MW, Vora AJ, Slavin B, Robinson M, Ellis BA, Dowd PM, Dumonde DC, 511
Blood platelets, human, 756
Bullous pemphigoid
  antibodies, 725
  antigen gene, 249
  antigen proteins, 725

C

C-fos and c-Jun Proto-Oncogene Expression is Decreased in Psoriasis: an In Situ Quantitative Analysis, Basset-Saĝuin N, Escot C, Moleś JP, Blanchard JM, Kerai C, Guilhou JJ, 672
C-fos proto-oncogene, 349
C-jun proto-oncogene, 349, 672
C5a, Cutaneous Mast Cells, and Inflammation: In Vitro and In Vivo Studies in a Murine Model, Lim HW, He D, Esquenazi-Behar S, Yancey KB, Soter NA, 305
Calcium-induced coordinated reorganization of microfilaments, keratin intermediate filaments, and microtubules in, immunoflourescence study of, 985
cAMP, 461
Can Some Melanotropins Modulate Keratinocyte Proliferation? *Letter*, Slominki A, Paus R, Wortsman J, 747
Canalicular system of EDTA-treated human blood platelets, 756
Canine keratinocytes, 223
Canthaxanthin, dietary, 892
Carbohydrates, simple mucin-type, 713
Carcinoma
  cell lines, squamous, 435
  cells, cultured epidermal, 949
  Shope, 327
  squamous cell, 495
Catalase levels in the epidermis of patients with vitiligo, 1081
CD1a
  antigens on Langerhans cells, 160
  molecules, 524

0022-202X/91/$03.50 Copyright © 1991 by The Society for Investigative Dermatology, Inc.

CD3+ T cells, 425
CD3−-NK cells, 425
CD36(OKM5)+ Dendritic Cells in the Oral Mucosa of HIV- and HIV+ Subjects, Pimpinelli N, Borgognoni L, Riccardi R, Ficarra G, Mori M, Gaglioti D, Romagnoli P, 537
CD4+, IL-4-producing, 389
cDNA, 980
Cell
  adhesion molecules, 501
  phenotype, significant modulation of by interferons, 364
  proliferation
  circadian rhythms in, 273
  localization of metallothionein, and, 97
Cells
  dermal microvascular endothelial, 787
  endothelial, 506
  melanoma, 593
  preputial, in rats, 517
  sorted epidermal, 974
  T-suppressor, 478
Cellular cholesterol, 771
Cellular infiltrate in primary regressing and non-regressing malignant melanoma, 197
CENP-B, 378
Characteristics of Vascular Responses to Endothelin-1 of Simian Digital Arteries that Distribute Their Branches to the Skin, Haniuda K, Ito T, Chiba S, 1024
Characterization of Bullous Pemphigoid Antibodies by Use of Recombinant Bullous Pemphigoid Antigen Proteins, Tanaka M, Hashimoto T, Amagai M, Shimizu N, Ikeguchi N, Tsubata T, Hasegawa A, Miki K, Nishikawa T, 725
Characterization of Glutathione S-Transferase in Cultured Human Keratinocytes, Blacker KL, Olson E, Vessey DA, Boyer TD, 442
Chemotactic cytokines, leukocyte, 593
Cholesterol, cellular, 771
Chromotography, liquid, 151
Chronic pemphigus, benign familial, 644
Cicatricial pemphigoid, 3, 259
Cicatricial Pemphigoid Antigen Differs from Bullous Pemphigoid Antigen by Its Exclusive Extracellular Localization: A Study by Indirect Immunoelectronmicroscopy, Badane C, Prost C, Bernard P, Catanzano G, Bonnetblanc J-M, Dubertret L, 3
Circadian rhythms in cell proliferation, 273
Clinical, Histologic, Microbiologic, and Biochemical Characterization of the Causative Agent of Bacillary (Epithelioid) Angiomatosis: A Rickettsial-Illness with Features of Bartonellosis, 812
Clones, mouse melanoma, lung-colonizing abilities of, 735
Collagen(s)
  cDNA, 980
  gel, 580, 898
  I and III, 219, 483
  I and VI, 240
  stimulation, 686
Collagen Cross-Linking in Sun-Exposed and Unexposed Sites of Aged Human Skin, Yamauchi M, Prisayanh P, Haque Z, Woodley DT, 938
Collagen gel
  lattice contraction, 580
  skin fibroblast-generated mechanical forces, 898
Collagen Metabolism in Cutis Laxa Fibroblasts: Increased Collagenase Gene Expression Associated with Unaltered Expression of Type I and Type III Collagen, Hatamochi A, Wada T, Takeda K, Ueki H, Kawano S, Terada K, Morita T, 483
Collagen Telopeptides (Cross-Linking Sites) Play a Role in Collagen Gel Lattice Contraction, Woodley DT, Yamauchi M, Wynn KC, Mechanic G, Briggaman RA, 580
Comparison of Methods for Transfection of Human Epidermal Keratinocytes, Jiang C-K, Connolly D, Blumenberg M, 969
Comparison of Minimal Phototoxic Dose and Skin Type for Determining Intitial UVA Dose in Oral Liquid Methoxsalen Photochemotherapy for the Treatment of Psoriasis, Rafal ES, Gonzalez E, Hamilton TA, 1048
Comparison of the Effects of Semi-Occlusive Polyurethane Dressings and Hydrocolloid Dressings on Dermal Repair: 1. Cellular Changes, Young SR, Dyson M, Hickman R, Lang S, Osborn C, 586
Comparison of the Rate of Uptake and Biologic Effects of Retinol Added to Human Keratinocytes Either Directly to the Culture Medium or Bound to Serum Retinol-Binding Protein, Hodam JR, St. Hilaire P, Creek KE, 298
Conditioned Medium from Cultured Human Keratinocytes Has Growth Stimulatory Properties on Different Human Cell Types, Kratz G, Haegerstrand A, Dalsgaard C-J, 1039
Condylomata acuminata, detection of human papillomaviruses in paraffin-embedded, 549
Congenital nevomelanocytic nevus, 649Constitutive Expression of Multiple Growth Factor Genes by Melanoma Cells but Not Normal Melanocytes, Rodeck U, Melber K, Kath R, Menssen H-D, Varello M, Atkinson B, Herlyn M, 20
Construction of a Full-Length Murine Proα2(I) Collagen cDNA by the Polymerase Chain Reaction, Phillips CL, Lever LW, Pinnell SR, Quarles LD, Wenstrup RJ, 980
Contact hypersensitivity, 995
Contour Mapping of the Cutaneous Microvasculature by Computerized Laser Doppler Velocimetry, Braverman IM, Schechner JS, 1013
Corneum, stratum, 874
Cornified envelope formation in cultured human epidermal keratinocytes, 771
Correlation Between Dermal Interstitial Immunoglobulin G and Hypergammaglobulinemia, *Rapid Communication*, Brown C, Lieu T-S, Sontheimer RD, 373
Cross-linked envelopes (CLE), 1061
Cutaneous
  amyloidosis, 693
  fibroblasts, 405
  lymphoma, probe for, 137
  mast cells, 305
  microvascular endothelial cells, 618
  microvasculature, 1013
  T-cell lymphoma, 818
Cutis laxa fibroblasts, 483
Cyclic AMP-Receptor Protein Activity in Rat Preputial Cells, Mednieks MI, Laurent SJ, Hand AR, Rosenfield RL, 517
Cyclooxygenase Activity Is Increased in Platelets from Psoriatic Patients, Vila L, Cullara C, Sola J, Puig L, de Castellarnau C, de Moragas JM, 922
Cyclosporin A, 953
Cytokines, leukocyte chemotactic, 593
Cytosolic proteins, epidermal, 323

D

Deglycosylation, enzymatic, 43
Degradation of Newly Synthesized High Molecular Mass Hyaluronan in the Epidermal and Dermal Compartments of Human Skin in Organ Culture, Tammi R, Saämañen A-M, Maibach HI, Tammi M, 126
Dendritic cells in the oral mucosa of HIV- and HIV+ subjects, 537
Dermal
  fibroblasts
  collagen and glycosaminoglycan production in, 686
  IL-8 mRNA levels in, 506
  TGF-β1 synthesis by, 634
  interstitial immunoglobulin G, 373
  microvascular endothelial cells, 787
  papilla cells, human 345
Dermatitis herpetiformis
  dietary gluten effect, 175
  HLA DP and DQ genes association, 799
  soluble interleukin-2 receptor levels in, 568
Dermatology, polymerase chain reaction in, 751
Dermatome strips, 974
Dermatosis, vesiculopustular, intercellular IgA, 742
Dermis, acellular reticular, 843
Desmosomes, 1061
Detection of Epstein-Barr Virus-DNA in Tongue Epithelium of Human Immunodeficiency Virus-Infected Patients, Naher H, Gissmannc L, von Knebel Doeberitz C, von Knebel Doerberitz M, Greenspan JS, Greenspan D, Petzoldt D, Edler L, Freese UK, 421
Detection of Human Immunodeficiency Virus-DNA and RNA in the Skin of HIV-Infected Patients Using the Polymerase Chain Reaction, Kanitakis J, Escaich S, Trepo C, Thivolet J, 91
Detection of Human Papillomaviruses in Paraffin-Embedded Condylomata Acuminata—Comparison of Immunohistochemistry, In Situ Hy-

bridization, and Polymerase Chain Reaction, Schadendorf D, Tiedemann K-H, Haas N, Czarnetzki BM, 549
Development of a Highly Specific and Sensitive Molecular Probe for Detection of Cutaneous Lymphoma, Volkenandt M, Soyer HP, Kerl H, Bertino JR, 137
Diagnostic Value of T-Cell Receptor Beta Gene Rearrangement Analysis on Peripheral Blood Lymphocytes of Patients with Erythroderma, Bakels V, van Oostveen JW, Gordijn RLJ, Walboomers JMM, Meijer CJLM, Willemze R, 782
Dietary canthaxanthin, 892
Differential Expression of Urokinase-Type Plasminogen Activator and Its Type-1 Inhibitor During Healing of Mouse Skin Wounds, Rømer J, Lund LR, Eriksen J, Ralfkiaer E, Zeheb R, Gelehrter TD, Danø K, Kristensen P, 803
Differential Protection by Two Sunscreens from UV Radiation–Induced Immunosuppression, Reeve VE, Bosnic M, Boehm-Wilcox C, Ley RD, 624
Differential Role of Lymphocyte Function—Associated Antigens in the Activation of Nickel-Specific Peripheral Blood T Lymphocytes, Prens EP, Benne K, van Joost T, Benner R, 885
Digital arteries, simian, 1024
Dihydrohaloisoxazoles, tyrosinamidomethyl, 156
Disparate Antioxidant Enzyme Activities in Cultured Human Cutaneous Fibroblasts, Keratinocytes, and Melanocytes, Yohn JJ, Norris DA, Yrastorza DG, Buno IJ, Leff JA, Hake SS, Repine JE, 405
DNA
  damage, UVR-induced, 942
  HIV-, 91
  synthesis in UV-irradiated human skin, 147
  tongue epithelium, 421
DNA Image Cytometry of Keratoacanthoma and Squamous Cell Carcinoma, Herzberg AJ, Kerns BJ, Pollack SV, Kinney RB, 495
DNA immunoprecipitation, application of to quantitative assay for anti–CENP-B antibodies, 378
DNA Sequence Analysis and Restriction Fragment Length Polymorphism (RFLP) Typing of the HLA-DQw2 Alleles Associated with Dermatitis Herpetiformis, Otley CC, Wenstrup RJ, Hall RP, 318
Do All Epidermal Keratinocytes Contain Parathyroid Hormone Related Protein (PTHrP)? *Letter*, Danks JA, Martin TJ, Moseley JM, Hayman JA, 1086
Does Cyclosporin A Directly Affect Human Langerhans Cell Function? *Letter*, Paguet-Navarro J, 953
Dowling-Meara type epidermolysis bullosa simplex, 959

E

EDTA-treated human blood platelets, 756
Effect of an Elemental Diet with and without Gluten on Disease Activity in Dermatitis Herpetiformis, The, Kadunce DP, McCurry MP, Avots-Avotins A, Chandler JP, Meyer LJ, Zone JJ, 175
Effect of Androgens on the Growth of Cultured Human Dermal Papilla Cells Derived from Beard and Scalp Hair Follicles, Thornton MJ, Messenger AG, Elliott K, Randall VA, 345
Effect of L-Dopa Methylester and Glutathione Depletion on Murine B16BL6 Melanoma Growth In Vitro, Thrall BD, Meadows GG, 1073
Effect of Sodium Lauryl Sulfate–Induced Skin Irritation on In Vivo Percutaneous Penetration of Four Drugs, Wilhelm K-P, Surber C, Maibach HI, 927
Effect of Topical Sunscreens on the UV-Radiation–Induced Suppression of the Alloactivating Capacity in Human Skin In Vivo, van Praag MCG, Out-Luyting C, Claas FHJ, Vermeer B-J, Mommaas AM, 629
Effect of Triggering Epidermal Fcγ Receptors on the Interleukin-2– and Interleukin-6–Induced Upregulation of Ia Antigen Expression by Murine Epidermal Langerhans Cells: The Role of Prostaglandins and cAMP, Epstein SP, Baer RL, Belsito DV, 461
Effects of Interferons on Cultured Human Melanocytes In Vitro: Interferon-Beta but Not -Alpha or -Gamma Inhibit Proliferation and All Interferons Significantly Modulate the Cell Phenotype, Krasagakis K, Garbe C, Krüger S, Orfanos CE, 364
Effects of Steroid, Retinoid, and Protease Inhibitors on the Formation of Acantholysis Induced in Organ Culture of Skins from Patients with Benign Familial Chronic Pemphigus, Ikeda S, Ogawa H, 644
Effects of Ultraviolet B Light on Cutaneous Immune Responses of Humans with Deeply Pigmented Skin, Vermeer M, Schmieder GJ, Yoshikawa T, van den Berg J-W, Metzman MS, Taylor JR, Streilein JW, 729
Effects on Murine Epidermal Langerhans Cells of Drugs Known to Cause Recrudescent Herpes Simplex Virus Infection in a Mouse Model, Williams NA, Hill TJ, 933
Eicosanoid metabolism, epidermal, 488
8-methoxypsoralen
  monoadducts, 151
  plasma levels by competitive enzyme-linked immunosorbent assay, 1001
8-MOP (8-methoxypsoralen), 151, 1001
Elastase, human neutrophil, 529
Elastin-Associated Microfibrils (10 nm) in a Three-Dimensional Fibroblast Culture, Fleischmajer R, Contard P, Schwartz E, MacDonald ED II, Jacobs L II, Sakai LY, 638
Electrode, vibrating probe, 55
Electron microscopic analysis of tattoos treated by Q-switched ruby laser, 131
Elevated Thymidine Phosphorylase Activity in Psoriatic Lesions Accounts for the Apparent Presence of an Epidermal Growth Inhibitor", But Is Not in Itself Growth Inhibitory, Hammerberg C, Fisher GJ, Voorhees JJ, Cooper KD, 286
Embryotoxicity, 159
Endogenous endonuclease, 111
Endonuclease, endogenous, 111
Endoplasmic reticulum, 395
Endothelial cells
  cutaneous microvascular, 618
  dermal microvascular, 787
  human dermal microvascular, 190
  Il-8 mRNA levels in, 506
Endothelin-1
  in human skin, 618
  vascular responses to, 1024
Endothelin-1 in Human Skin: Immunolocalization, Receptor Binding, mRNA Expression, and Effects on Cutaneous Microvascular Endothelial Cells, Bull HA, Bunker CB, Terenghi G, Springall DR, Zhao Y, Polak JM, Dowd PM, 618
Endothelium
  microvascular, 169
  vascular, cultured, 511
Enhanced Unscheduled DNA Synthesis in UV-Irradiated Human Skin Explants Treated with T4N5 Liposomes, Yarosh DB, Kibitel JT, Green LA, Spinowitz A, 147
Enzymatic deglycosylation, 43
Enzyme activities in cultured human cutaneous fibroblasts, 405
Enzyme-linked immunosorbent assay, 1001
Epidermal
  antigen-presenting cells, 454
  carcinoma cells, cultured, 949
  cells
    arachidonic acid metabolism, 291
    mRNA isolation, 974
    photohapten-modified Langerhans cell–enriched, examination of TCSA photoallergy, 210
    12(S)-hydroxyeicosatetraenoic acid binding inhibition by UV-B, 1028
  cytosolic proteins, 323
  eicosanoid metabolism, 488
  Fcγ receptors, 461
  growth inhibitor", 286
  homogenate
    active oxygen and lipid peroxide radical reaction of, 115
    lipid radical formation following exposure to ultraviolet light, 1044
  keratinocytes
    cellular cholesterol effect on cornified envelope formation, 771
    immunoflourescence study of calcium-induced coordinated reorganization of microfilaments, keratin intermediate filaments, and micro tubules in, 985
    methods for transfection of, 969
    parathyroid hormone related to protein (PTHrP), 1086
    retrovirus-mediated transduction of cultured, 824
  Langerhans cell
    Birbeck granule similarities to surface-connected canalicular system of EDTA-treated human blood platelets, 756
    CD1a molecules in allogeneic T-cell activation, role of, 524
    gamma-interferon-promoted release of IgE-binding factors (soluble CD23), 600

murine, upregulation of Ia antigen expression by, 461
sheets, mRNA isolation, 974
Epidermal Interleukin 1α Functional Activity and Interleukin 8 Immunoreactivity Are Increased in Patients with Cutaneous T-Cell Lymphoma, Hansen ER, Vejlsgaard GL, Lisby S, Heidenheim M, Baadsgaard O, 818
Epidermis
hyperplastic, localization of metallothionein, 97
psoriatic lesional, localization of lipocortin I, 1032
Epidermodysplasia verruciformis, 862
Epidermolysis bullosa
acquisita, 259
junctonal, Southern analysis of the 230-kD bullous pemphigoid antigen gene, 249
keratinocytes, junctional, 849
simplex, 959
Epidermolysis Bullosa Simplex (Dowling-Meara Type) Is a Genetic Disease Characterized by an Abnormal Keratin-Filament Network Involving Keratins K5 and K14, Ishida-Yamamoto A, McGrath JA, Chapman SJ, Leigh IM, Lane EB, Eady RAJ, 959
Epithelial keratins 8 and 18, 763
Epithelioid angiomatosis, 812
Epithelium
salivary gland, simple mucin-type carbohydrates in 713
squamous, simple mucin-type carbhydrates, 713
tongue, detection of Epstein-Barr virus–DNA, 421
Epitopes, β1-integrin, 562
Epstein-Barr virus, 421
Erythema multiforme, 697
Erythroderma, analysis of peripheral blood lymphocytes in, 782
Establishment from Shope Carcinoma Induced in an Inbred Rabbit of Culture Cell Lines with Various Potentials for Differentiation and Tumorigenicity, Seto A, Isono T, Inoue M, Yamade I, Ogawa K, 327
Eumelanin, 340
Examination of Tetrachlorosalicylanilide (TCSA) Photoallergy Using In Vitro Photohapten-Modified Langerhans Cell–Enriched Epidermal Cells, Gerberick GF, Ryan CA, Von Bargen EC, Stuard SB, Ridder GM, 210
Expression and Characterization of Membrane Co-Factor Protein (MCP) in Human Skin, Sayama K, Shiraishi S, Shirakata Y, Kobayashi Y, Seya T, Miki Y, 722
Expression and Secretion of Leukocyte Chemotactic Cytokines by Normal Human Melanocytes and Melanoma Cells, Zachariae COC, Thestrup-Pedersen K, Matsushima K, 593
Expression of β4 Integrins in Human Skin: Comparison of Epidermal Distribution with β1-Integrin Epitopes, and Modulation by Calcium and Vitamin D_3 in Cultured Keratinocytes, Ryynañen J, Jaakkola S, Engvall E, Peltonen J, Uitto J, 562
Expression of c-jun, jun-B, and c-fos Proto-Oncogenes in Human Primary Melanocytes and Metastatic Melanomas, Yamanishi DT, Buckmeier JA, Meyskens FL Jr, 349
Expression of Intercellular Adhesion Molecule-1 (ICAM-1) in the Skin of Patients with Systemic Scleroderma, Majewski S, Hunzelmann N, Johnson JP, Jung C, Mauch C, Ziegler-Heitbrock HWL, Riethmuller G, Krieg T, 667
Expression of 1,25-Dihydroxyvitamin D_3 Receptors in Normal and Psoriatic Skin, Milde P, Hauser U, Simon T, Mall G, Ernst V, Haussler MR, Frosch P, Rauterberg EW, 230
Expression of Simple Epithelial Keratins 8 and 18 in Epidermal Neoplasia, Markey AC, Lane EB, Churchill LJ, MacDonald DM, Leigh IM, 763
Extracellular ATP and Some of its Analogs Induce Transient Rises in Cytosolic Free Calcium in Individual Canine Keratinocytes, Suter MM, Crameri FM, Slattery JP, Millard PJ, Gonzalez FA, 223
Extracellular matrix gene expression in pig skin, 34

F

Familial chronic pemphigus, benign, 644
Fcγ receptors, epidermal, 461
Fetal skin equivalent, melanocyte number in, 776
Fibroblast
culture, three-dimensional, 638
growth factor, acidic, 793
Fibroblasts
acellular reticular dermis, facilitation of keratinocyte growth by, 843
antioxidant enzyme activities in cultured human cutaneous, 405
cutis laxa, collagen metabolism in, 483
IL-8 mRNA levels in dermal, 506
keratinocyte growth, facilitation of growth by, 843
measurment of mechanical forces in 3-D collagen gel, 898
sodium lauryl sulfate, induction of proliferation by, 917
stimulation of collagen and glycosaminoglycan production, in adult cultured human, 686
TGF-β1 synthesis, upregulation by hypoxia in human dermal, 634
Fibronectin, 219, 573
55-kd Tumor Necrosis Factor Receptor Is Expressed by Human Keratinocytes and Plays a Pivotal Role in Regulation of Human Keratinocyte ICAM-1 Expression, Trefzer U, Brockhaus M, Loetscher H, Parlow F, Kapp A, Schopf E, Krutmann J, 911
5′-flanking region, 281
5-MOP photochemoprotection, 942

G

Gamma-Interferon Promotes the Release of IgE-Binding Factors (Soluble CD23) by Human Epidermal Langerhans Cells, *Rapid Communication*, Bieber T, Delespesse G, 600
Gel, collagen, 898
Gene
keratin, mouse type 1, 835
T-cell receptor beta, 782
Gene Amplification by Polymerase Chain Reaction in Dermatology, *Review*, Schadendorf D, Czarnetzki BM, 751
Gene Rearrangement Studies in the Diagnosis of Primary Systemic and Nodular Primary Localized Cutaneous Amyloidosis, Gruńewald K, Sepp N, Weyrer K, Lhotta K, Feichtinger H, Konwalinka G, Breathnach SM, Hintner H, 693
Genes, multiple growth factor, expression of by melanoma cells, 20
Glucocorticoids, 106
Glutathione depletion, effect on murine B16BL6 melanoma cells, 1073
Glutathione S-transferase, 442
Gluten, effect of elemental diet without, 175
Glycoprotein
basal cell, 501
cell wall (mannan), 955
Glycosaminoglycan stimulation, 686
GM-CSF production regulation, 203
Granulocyte/macrophage colony-stimulating factor, 10
Growth factor-β, 169, 430
Growth Stimulation of Human Keratinocytes by Tissue Inhibitor of Metalloproteinases, Bertaux B, Hornebeck W, Eisen AZ, Dubertret L, 679
Growth-inhibited keratinocytes, 917

H

Hair
follicles in the repigmentation of vitiligo, 410
growth, 417
Hair-Specific Keratins: Characterization and Expression of a Mouse Type I Keratin Gene, Kaytes PS, McNab AR, Rea TJ, Groppi V, Kawabe TT, Buhl AE, Bertolino AP, Hatzenbuhler NT, Vogeli G, 835
HeLa cells, transfected, 354
Heparin-binding synthetic peptides, 573
Herpes simplex virus, recrudescent, 933
Herpetiformis, dermatitis
dietary gluten effect, 175
HLA DP and DQ genes association, 799
soluble interleukin-2 receptor levels in, 568
High Frequency of IL-4–Producing $CD4^+$ Allergen-Specific T Lymphocytes in Atopic Dermatitis Lesional Skin, van der Heijden FL, Wierenga EA, Bos JD, Kapsenberg ML, 389
High-Performance Liquid Chromotography Analysis of 8-Methoxypsoralen Monoadducts and Crosslinks in Lymphocytes and Keratino-

cytes, *Rapid Communication*, Bevilacqua PM, Edelson RL, Gasparro FP, 151
Histamine receptors, 868
HIV- and HIV+ subjects, dendritic cells in the oral mucosa of, 537
HLA DP and DQ genes, 799
HLA DQB1*0301 Allele Is Involved in the Susceptibility to Erythema Multiforme, Khalil I, Lepage V, Douay C, Morin L, Al-Daccak R, Wallach D, Binet O, Lemarchand F, Degos L, Hors J, 697
HLA-A11, 269
HLA-C, nucleotide sequence of, 254
HLA-DQw2 alleles associated with dermatitis herpetiformis, 318
Human
  aged skin, collagen crossfilinking in, 938
  centromere antigen (CENP-B), 378
  dermal
    fibroblasts, upregulation of TGF-β1 by hypoxia, 634
    microvascular endothelial cells, 190
  epidermal keratinocytes, 969
  immunodeficiency virus, 421
  keratinocytes
    alpha-fodrin and protein 4.1 identification in, 383
    55-kd tumor necrosis factor receptor, expression of, 911
    glutathione S-transferase in cultured, characterization of, 442
    retinol effects on, 298
  melanocyte growth, 611
  neutrophil elastase, 529
  papilloma virus type 16 DNA sequences, 880
  stratum corneum, 1005
Human Keratinocytes Adhere to Multiple Distinct Peptide Sequences of Laminin, Wilke MS, Skubitz APN, 141
Human Keratinocytes Adhere to Two Distinct Heparin-Binding Synthetic Peptides Derived from Fibronectin, Wilke MS, Skubitz APN, Furcht LT, McCarthy JB, 573
Human Melanocyte Growth and Differentiation: A Decade of New Data, *Review*, Yaar M, Gilchrest BA, 611
Human Nidogen Gene: Structural and Functional Characterization of the 5′-Flanking Region, Fazio MJ, O'Leary J, Kahari V-M, Chen YQ, Saitta B, Uitto J, 281
Hyaluronan, 126
Hydrocolloid dressings on dermal repair, 586
Hypergammaglobulinemia, 373
Hyperplastic epidermis, 97
Hypersensitivity, contact, 995
Hypoxia Upregulates the Synthesis of TGF-β1 by Human Dermal Fibroblasts, Falanga V, Qian SW, Danielpour D, Katz MH, Roberts AB, Sporn MB, 634

I

IA (tyrosinase-negative) oculocutaneous albinism, 15
ICAM-1
  human keratinocyte, regulation of, 911
  systemic scleroderma patients, in skin of, 667

Identification of Basement Membrane Zone Antigens Defined by Antibodies that React to Both the Epidermal and Dermal Side of 1 M Sodium Chloride Split Skin, Niimi Y, Zhu ZX-J, Bystryn J-C, 312
Identification of Late Differentiation Antigens of Human Cornified Epithelia, Expressed in Re-Organized Desmosomes and Bound to Cross-Linked Envelope, Serre G, Mils V, Haftek M, Vincent C, Croute F, Raáno A, Ouhayoun J-P, Bettinger S, Soleilhavoup J-P, 1061
Identification of Natural Killer (NK) Cells in Lesions of Human Cutaneous Graft-Versus-Host Disease: Expression of a Novel NK-Associated Surface Antigen (Kp43) in Mononuclear Infiltrates, Acevedo A, Aramburu J, Lopez J, Fernańdez-Herrera J, Fernańdez-Ranãda JM, Lopez-Botet M, 659
IgA
  anti-intercellular antibodies, autoantigens for, 742
  vesiculopustular dermatosis, 742
IgE-binding factors, 600
IgG autoantibodies, 259
IL-1 gene in UV-irradiated mouse skin, 1019
IL-1α-induced IL-8 mRNA levels in cultured human keratinocytes, dermal fibroblasts, endothelial cells and monocytes, 506
IL-3 production regulation, 203
IL-4-producing CD4+, 389
IL-6, 27
Image cytometry, DNA, 495
Immune Privilege in Hair Growth, Westgate GE, Craggs RI, Gibson WT, 417
Immunocytochemical Analysis of the Cellular Infiltrate in Primary Regressing and Non-Regressing Malignant Melanoma, Tefany FJ, Barnetson RStC, Halliday GM, McCarthy SW, McCarthy WH, 197
Immunodeficiency virus, human, 421
Immunoelectronmicroscopy, indirect, 3
Immunofluorescence microscopy, 1032
Immunofluorescence Study of the Calcium-Induced Coordinated Reorganization of Microfilaments, Keratin Intermediate Filaments, and Microtubules in Cultured Human Epidermal Keratinocytes, An, Zamansky GB, Nguyen U, Chou I-N, 985
Immunoglobulin G, dermal interstitial, 373
Immunoinhibitory Cell Wall Glycoprotein (Mannan) from *Trychophyton rubrum*, An, *Letter*, McGregor JM, Hay RJ, 955 955
Immunolocalization in endothelin-1, 618
Immunosorbent assay, 1001
Immunosuppression, UV radiation-induced, 624
In This Issue
  Huff JC, 163, 957
  Lee LA, 609
  Norris DA, 381
  Weston WL, 1, 749
In Vitro Cutaneous Biotransformation of Propranolol, Cormier M, Ledger PW, Marty JP, Amkraut A, 447
In Vitro Reconstitution of Skin: Fibroblasts Facilitate Keratinocyte Growth and Differentiation on Acellular Reticular Dermis, Krejci NC, Cuono CB, Langdon RC, McGuire J, 843
In Vivo Proton Relaxation Times Analysis of the Skin Layers by Magnetic Resonance Imaging, Richard S, Querleux B, Bittoun J, Idy-Peretti I, Jolivet O, Cermakova E, Laveque J-L, 120
Increase of Sialylated Tetraantennary Sugar Chains in Parallel to the Higher Lung-Colonizing Abilities of Mouse Melanoma Clones, Yamamura K, Takasaki S, Ichihashi M, Mishima Y, Kobata A, 735
Increased IL-6 Production by Monocytes and Keratinocytes in Patients with Psoriasis, Neuner P, Urbanski A, Trautinger F, Moller A, Kirnbauer R, Kapp A, Schopf E, Schwarz T, Luger TA, 27
Induction of Proliferation of Growth-Inhibited Keratinocytes and Fibroblasts in Monolayer Culture by Sodium Lauryl Sulfate: Comparison with All-Trans Retinoic Acid, Varani J, Astrom A, Griffiths CEM, Voorhees JJ, 917
Inflammatory sequelae, 1019
Inhibition of Human Epidermal Transglutaminases In Vitro and In Vivo by Tyrosinamidomethyl Dihydrohaloisoxazoles, *Rapid Communication*, Goldsmith LA, DeYoung LM, Falciano V, Ballaron SJ, Akers W, 156
Inhibition of Langerhans Cell ATPase and Contact Sensitization by Lanthanides—Role of T-Suppressor Cells, Gruner S, Diezel W, Strunk D, Eckert R, Siems W, Anhalt GJ, 478
Inhibition of 12(S)-Hydroxyeicosatetraenoic Acid [12(S)-HETE] Binding to Epidermal Cells by Ultraviolet-B, Kemańy L, Przybilla B, Gross E, Arenberger P, Ruzicka T, 1028
Intercellular IgA vesiculopustular dermatosis, 742
Interferon-beta, 364
Interferons, effect of on cultured human melanocytes, 364
Interleukin 1
  granulocyte/macrophage colony-stimulating factor expression, and, 10
  functional activity in patients with cutaneous T-cell lymphoma, 818
  modulation of endothelial cell response to histamine, 787
  pam 212 keratinocytes, 10
  substance P, and, 787
Interleukin 6, recombinant human, 686
Interleukin 8 immunoreactivity, 818
Interleukin-1α, 106
Interleukin-2
  dermatitis herpetiformis patients, receptor levels in, 568
  interleukin-6-induced upregulation of Ia antigen expression, and, 461
Involucrin gene, transfected human, 543
Involvement of Active Oxygen in Lipid Peroxide Radical Reaction of Epidermal Homogenate Following Ultraviolet Light Exposure, Nishi J, Ogura R, Sugiyama M, Hidaka T, Kohno M, 115
phoretic current flow into the skin, 55
Irradiation of Protoporphyric Mice Induces Down-Regulation of Epidermal Eicosanoid Metabolism, He D, Lim HW, 488

Isolation, Detection, and Amplification of Intact mRNA from Dermatome Strips, Epidermal Sheets, and Sorted Epidermal Cells, Longley J, Ding TG, Cuono C, Durden F, Crooks C, Hufeisen S, Eckert R, Wood GS, 974

J

Jun-B proto-oncogene, 349
Junctional Epidermolysis Bullosa Keratinocytes in Culture Display Adhesive, Structural, and Functional Abnormalities, Krueger JG, Lin AN, Leong I, Carter DM, 849

K

Keloids, collagen gene expresson in, 240
Keratin
  intermediate filaments, 985
  K5, 959
  K14, 959
Keratin-filament network, 959
Keratinocyte
  culture, adverse effects of lignocaine on skin used for, 746
  differentiation, regulation of low-density lipoprotein receptor expression, 334
  proliferation, modulation by melanotropins, 747
Keratinocytes
  adherence to multiple distinct peptide sequences of laminin, 141
  canine, 223
  conditioned medium from cultured human, 1039
  cultured
    epidermal, retrovirus-mediated transduction of, 824
    human
      characterization of glutathione S-transferase in, 442
      cutaneus, antioxidant enzyme activities in, 405
      epidermal
        immunoflourescence study of calciumfiinduced coordinated reorganization of microfilaments, keratin intermediate filaments, and microtubles in, 985
        methods of transfection for, 969
      IL-8 mRNA levels in, 506
  8-methoxypsoralen monoadducts and crosslinks in, 151
  epidermal
    cellular cholesterol modulation on cornified envelope formation in, 771
    parathyroid hormone related protein in, 1086
    epidermolysis bullosa, junctional, 849
    growth inhibited, proliferation of by sodium laurel sulfate, 917
  human
    adherence to two heparin-binding synthetic peptides, 573
    alpha-fodrin and protein 4.1, 383
    growth stimulation of by tissue inhibitor of metalloproteinases, 679
    in vitro, thymadine salvage changes in, 1057
    retinol, rate of uptake and biologic effects of, 298
    tumor necrosis factor receptor expression by, 911
  inhibition of proliferation of by minoxidil, 534
  Pam 212, 10
  production of IL-6 by in psoriasis patients, 27
  programmed cell death in terminally differentiating, 111
  psoriatic lesional epidermis, plasma membrane localization of lipocortin I in of, 1032
  psoralen plus UVA radiation, with, 995
  upper, of psoriatic skin lesions, 73
Keratinocytes Regulate Melanocyte Number in Human Fetal and Neonatal Skin Equivalents, Scott GA, Haake AR, 776
Keratins
  8 and 18, epithelial, 763
  hair specific, 835
  HeLa cells, transfected, in mouse hairs, 354
Keratoacanthoma, 495
Keratotic skin lesions in renal transplant recipients, 269
Kp43, 659

L

L-dopa methylester, 1073
Laminin, 141
Langerhans cell
  ATPase, 478
  Birbeck granules, 756
Langerhans Cell Migration into Ultraviolet Light-Induced Squamous Skin Tumors is Unrelated to Anti-Tumor Immunity, Halliday GM, Reeve VE, Barnetson RStC, 830
Langerhans cells
  cultured normal and their resemblance to psoriatic epidermal antigen-presenting cells, 454
  human
  cyclosporin A, effects on, 953
  epidermal, gamma interferon promoted release of IgE-binding factors by, 600
  murine epidermal, 461, 933
  regional development of, 65
Lanthanides, 478
Laser
  ablation, mid-infrared, 874
  ruby, 131
Laser Doppler velocimetry, 1013
Lesional skin, atopic dermatitis, 389
Lesions
  of human cutaneous graft-versus-host disease, 659
  psoriatic, 606
Leukocyte chemotactic cytokines, 593
Lidocaine (lignocaine), 746
Light and Electron Microscopic Analysis of Tattoos Treated by Q-Switched Ruby Laser, Taylor CR, Anderson RR, Gange RW, Michaud NA, Flotte TJ, 131
Lignocaine (lidocaine), 746
Lipid
  peroxide, 115
  radical formation, 1044
Lipocortin I (Annexin I) Is Preferentially Localized on the Plasma Membrane in Keratinocytes of Psoriatic Lesional Epidermis as Shown by Immunofluorescence Microscopy, Kitajima Y, Owada MK, Mitsui H, Yoita H, 1032
Lipoprotein receptor, low density, 334
Liposomes, T4N5, 147
Local Suppression of Contact Hypersensitivity in Mice by a New Bifunctional Psoralen, 4, 4′,5′-trimethylazapsoralen, and UVA Radiation, Aubin F, Dall'Acqua F, Kripke ML, 50
Localization of Metallothionein in Hair Follicles of Normal Skin and the Basal Cell Layer of Hyperplastic Epidermis: Possible Association with Cell Proliferation, Karasawa M, Nishimura N, Nishimura H, Tohyama C, Hashiba H, Kuroki T, 97
Location of Androgen Receptor in Human Skin, Blaüer M, Vaalasti A, Pauli S-L, Ylikomi T, Joensuu T, Tuohimaa P, 264
Low Catalase Levels in the Epidermis of Patients with Vitiligo, Schallreuter KU, Wood JM, Berger J, 1081
Low-density lipoprotein receptor, 334
Lupus erythematosus, systemic, 80
Lymphocyte
  clones, tumor infiltrating, 183
  function-associated antigens, 885
Lymphocytes
  8-methoxypsoralen monoadducts and crosslinks in, 151
  T, 389
Lymphoma,
  cutaneous
  probe for, 137
  T-cell, 818

M

Magnetic resonance imaging used to analyse proton relaxation times of the skin layers, 120
Malignant melanoma, 197, 903
Mannan (cell wall glycoprotein), 955

Matrix gene expression, extracellular, in pig skin, 34
Measurement of Mechanical Forces Generated by Skin Fibroblasts Embedded in a Three-Dimensional Collagen Gel, Delvoye P, Wiliquet P, Laveque J-L, Nusgens BV, Lapiere CM, 898
Mechanism of Lipid Radical Formation Following Exposure of Epidermal Homogenate to Ultraviolet Light, Ogura R, Sugiyama M, Nishi J, Haramaki N, 1044
Melanocyte
  growth, human, 611
  number regulation by keratinocytes in fetal and neonatal skin equivalents, 776
  structural abberations of long-term cultures of vitiligo patients, 395
Melanocytes
  abnormal, 20
  antiocidant enzyme activities in cultured human cutaneous, 405
  c-jun, jun-B, and c-fos proto-oncogenes in human primary, expression of, 349
  secretion of leukocyte chemotactic cytokines by normal human, expression, 593
Melanoma
  B-16-F10 murine, 183
  cells
    and $CD3^-$ NK and $CD3^+$ T cells, 425
    leukocyte chemotactic cytokines, expression and secretion by, 593
    multiple growth factor genes, constitutive expression of, 20
    murine B16BL6, 1073
    tyrosinase expression and activity regulation in, 868
  clones, mouse, lung-colonizing abilities of, 735
  malignant, 197, 903
  murine B16BL6, 1073
Melanomas, metastatic, 349
Melanosome compartmentalization in long-term cultures of melanocytes from vitiligo patients, 395
Melanotropins, 747
Membrane co-factor protein (MCP), 722
Metabolism of Arachidonic Acid by Human Epidermal Cells Depends upon Maturational Stage, Henneicke-von Zepelin H-H, Schröder J-M, Smíd P, Reusch MK, Christophers E, 291
Metabolism
  collagen, 483
  epidermal eicosanoid, 488
Metalloproteinases, 679
Metallothionein, localization of in hair follicles, 97
Metastatic melanomas, 349
Methoxsalen, 1048
MHC antigen, 190
Microfibrils (10 nm), elastin-associated, 638
Microfilaments, 985
Microscopy, immunofluorescence, 1032
Microtubules in cultured human epidermal keratinocytes, 985
Microvascular endothelial cells
  cutaneous, 618
  dermal, 787
  human dermal, 190
Microvascular endothelium, interaction with mononuclear cells, 169
Microvasculature, cutaneous, 1013
Mid-Infrared Laser Ablation of Stratum Corneum Enhances In Vitro Percutaneous Transport of Drugs, Nelson JS, McCullough JL, Glenn TC, Wright WH, Liaw L-HL, Jacques SL, 874
Minoxidil: Inhibiton of Proliferation of Keratinocytes In Vitro, O'Keefe E, Payne RE Jr, 534
Modulation of Cellular Cholesterol and Its Effect on Cornified Envelope Formation in Cultured Human Epidermal Keratinocytes, Schmidt R, Parish EJ, Dionisius V, Cathelineau C, Michel S, Shroot B, Rolland A, Brzokewicz A, Reichert U, 771
Molecular Analysis of an Extended Family with Type IA (Tyrosinase-Negative) Oculocutaneous Albinism, Oetting WS, Handoko HY, Mentink MM, Paller AS, White JG, King RA, 15
Molecular Analysis of HLA DP and DQ Genes Associated with Dermatitis Herpetiformis, Fronek Z, Cheung MM, Hanbury AM, Kagnoff MF, 799
Molecular Cloning, Occurrence, and Expression of a Novel Partially Secreted Protein Psoriasin" That Is Highly Up-Regulated in Psoriatic Skin, Madsen P, Rasmussen HH, Leffers H, Honora B, Dejgaard K, Olsen E, Kiil J, Walbum E, Andersen AH, Basse B, Lauridsen JB, Ratz GP, Celis A, Vandekerckhove J, Celis JE, 701
Molecules, CD1a, 524
Monocyte/macrophage system, 161
Monocytes
  IL-8 mRNA levels in, 506
  production of IL-6 by in psoriatic patients, 27
Mononuclear cells
  and blood from patients with psoriasis, 511
  interaction with microvascular endothelium, 169
Mouse melanoma clones, lung-colonizing abilities of, 735
mRNA
  expression in endothelin-1, 618
  isolation, detection and amplification of intact, 974
Mucin-type carbohydrates, simple, 713
Murine
  B16BL6, 1073
  cutaneous UVB-induced tumor infiltrating T lymphocytes by dietary canthaxanthin, 892
  epidermal Langerhans cells, 461, 933
  keratinocyte cell line PAM 212, 203
  melanoma, B16-F10, 183
  Proα2(I) collagen cDNA, 980

N

NAP/IL-8 mRNA in situ, 73
NAP-1/IL-8 Immunoreactivity in Normal and Psoriatic Skin, *Letter*, Barker JNWN, Griffiths CEM, Nickoloff BJ, 606
Neonatal skin equivalent, melanocyte number in, 776
Neoplasms With Eccrine Differentiation: Ackerman's Histologic Diagnosis of Neoplastic Skin Diseases—A Method of Pattern Analysis. By Pascual Abenoya and A, Bernard Ackerman, *Book Review*, Golitz LE,
Neutrophil, elastase, human, 529
Nevi, benign nevocytic, 903
Nevocytic nevi, benign, 903
Nevomelanocytic nevus, congenital, 649
Nickel-specific peripheral blood T lymphocytes, 885
Nidogen gene, human, 281
NK cells, 659
Nodular primary localized cutaneous amyloidosis, 693
Nonmelanoma human skin cancers, 880
Notalgia paresthetica, 555
Novel NK-associated surface antigen, 659

O

On a Possible Protective Effect of HLA-A11 Against Skin Cancer and Keratotic Skin Lesions in Renal Transplant Recipients, Bouwes Bavinck JN, Kootte AMM, Van Der Woude FJ, Vandenbroucke JP, Vermeer BJ, Claas FHJ, 269
1,25 dihydroxyvitamin D, 435
1,25-dihydroxyvitamin D_3 receptors in normal and psoriatic skin, 230
Organization of the Monocyte/Macrophage System of Normal Human Skin, *Letter*, Smolle J, Kerl H, 161

P

Pam 212 keratinocytes, 10
Papilla cells, human dermal, 345
Papillomaviruses, human, detection of, 549
Parathyroid hormone related to protein (PTHrP), 1086
Pemphigoid
  bullous
  antibodies, 725
  antigen gene, 249
  antigen proteins, 725
  cicatricial, 259
Pemphigoid antigen
  bullous, 3
  cicatricial, 3

Pemphigus, chronic, benign familial, 644
Peptides, heparin-binding synthetic, 573
Percutaneous Retinoid Absorption and Embryotoxicity, *Letter*, Nau H, 159
Peripheral blood T lymphocytes, 885
Peroxide, lipid, 115
Pharmacologic Modulation of Picryl Chloride-Induced Contact Dermatitis in the Mouse, Lavaud P, Rodrigue F, Carra C, Touvay C, Mencia-Huerta J-M, Braquet P, 101
Pheomelanin as well as Eumalanin Is Present in Human Epidermis, Thody AJ, Higgins EM, Wakamatsu K, Ito S, Burchill SA, Marks JM, 340
Photochemotherapy, methoxsalen, 1048
Photohapten-modified Langerhans cell–enriched epidermal cells, 210
Photoprotection and 5-MOP Photochemoprotection from UVR-Induced DNA Damage in Humans: The Role of Skin Type, Young AR, Potten CS, Chadwick CA, Murphy GM, Hawk JLM, Cohen AJ, 942
Phototoxic dose, minimal, 1048
Picryl chloride-induced contact dermatitis, 101
Pigment cell antibodies, 1078
Pinnas, rabbit, sebaceous gland hyperplasia in, 85
Plasma levels of 8-methoxypsoralen, 1001
Plasminogen activator, urokinase-type, 803
Platelets, human blood, 756
Polymerase chain reaction
  construction of a full-length proα2(I) collagen cDNA by, 980
  in dermatology, 751
  in detection of human immunodeficiency virus-DNA and RNA, 91
Polymorphonuclear Leukocyte-Induced Detachment of Cultured Epidermal Carcinoma Cells from the Substratum, *Rapid Communication*, Katayama H, Kitagawa S, Masuyama J-i, Yaoita H, 949
Polyurethane dressings, semi-occlusive, 586
Potential Role for CD1a Molecules on Human Epidermal Langerhans Cells in Allogeneic T-Cell Activation, A, Moulon C, Paǵuet-Navarro J, Schmitt D, 524
Preputial cells, rat, 517
Presence of Human Papilloma Virus Type 16 DNA Sequences in Human Nonmelanoma Skin Cancers, Pierceall WE, Goldberg LH, Ananthaswamy HN, 880
Primary systemic cutaneous amyloidosis, 693
Pro2α(I), 980
Probe, vibrating, electrode, 55
Production and Characterization of Tumor Infiltrating Lymphocyte Clones Derived from B16-F10 Murine Melanoma, Maeda K, Lafreniere R, Jerry LM, 183
Programmed Cell Death in Terminally Differentiating Keratinocytes: Role of Endogenous Endonuclease, McCall CA, Cohen JJ, 111
Propranolol, 447
Prostaglandins, 461
Protease inhibitors, effects of on the formation of acantholysis, 644
Protein
  4.1, 383
  serum retinol-binding, 298
Proteins
  antigen, bullous pemphigoid, 725
  cytosolic, epidermal, 323
Proteoglycans from the cell surface, undersulfation of, 43
Proton relaxation times analysis, 120
Protooncogene (C-Myc) Expression in the Infiltrating Cells of Lesional Skin from Patients with Systemic Lupus Erythematosus, Inagaki Y, Yoshida Y, Hamasaki Y, Ueki H, 80
Protoporphyric mice, irradiation of, 488
Psoralen
  activation of keratinocytes with, 995
  new bifunctional 4, 4′,5′-trimethylazapsoralen, 50
Psoriasin, 701
Psoriasis
  c-jun and c-fos proto-oncogene expression decrease in, 672
  increased IL-6 production in patients with, 27
  methoxsalen photochemotherapy for the treatment of, 1048
  types I and II, 1053
  vulgaris, 254
Psoriatic
  lesion epidermis, 1032
  lesions, 606
  patients, 922
  skin, 454, 606, 701
PTHrP (parathyroid hormone related to protein), 1086
Purification of a Human Centromere Antigen (CENP-B) and Application of DNA Immunoprecipitation to Quantitative Assay for Anti–CENP-B Antibodies, *Rapid Communication*, Muro Y, Masumoto H, Okazaki T, Ohashi M, 378

Q

Q-switched ruby laser, 131
Quantitation of Plasma Levels of 8-Methoxypsoralen by Competitive Enzyme-Linked Immunosorbent Assay, Yin B, Gasparro FP, Bevilacqua PM, Santella RM, 1001
Quantitative Determination of IL-1α–Induced IL-8 mRNA Levels in Cultured Human Keratinocytes, Dermal Fibroblasts, Endothelial Cells, and Monocytes, Kristensen MS, Paludan K, Larsen CG, Zachariae COC, Deleuran BW, Jensen PKA, Jørgensen P, Thestrup-Pedersen K, 506

R

Radiation-impaired wounds, 430
Receptor(s)
  androgen, 264
  binding in endothelin-1, 618
  histamine, 868
  lipoprotein, low density, 334
Reconstitution of the Histologic Characteristics of a Giant Congenital Nevomelanocytic Nevus Employing the Athymic Mouse and a Cultured Skin Substitute, Cooper ML, Spielvogel RL, Hansbrough JF, Boyce ST, Frank DH, 649
Recrudescent herpes simplex virus, 933
Reduction of Murine Cutaneous UVB-Induced Tumor Infiltrating T Lymphocytes by Dietary Canthaxanthin, Rybski JA, Grogan TM, Aickin M, Gensler HL, 892
Regional Development of Langerhans Cells and Formation of Birbeck Granules in Human Embryonic and Fetal Skin, Fujita M, Furukawa F, Horiguchi Y, Ueda M, Kashihara-Sawami M, Imamura S, 65
Regulation of GM-CSF and IL-3 Production from the Murine Keratinocyte Cell Line PAM 212 Following Exposure to Ultraviolet Radiation, Gallo RL, Staszewski R, Sauder DN, Knisely TL, Granstein RD, 203
Regulation of Low-Density Lipoprotein Receptor Expression During Keratinocyte Differentiation, te Pas MFW, Lombardi P, Havekes LM, Boonstra J, Ponec M, 334
Regulation of Tyrosinase Expression and Activity in Human Melanoma Cells via Histamine Receptors, McEwan MT, Parsons PG, 868
Relation Between the Incidence and Level of Pigment Cell Antibodies and Disease Activity in Vitiligo, Harning R, Cui J, Bystryn J-C, 1078
Repigmentation of vitiligo, hair follicles in, 410
Responses of Human Dermal Microvascular Endothelial Cells to Histamine and Their Modulation by Interleukin 1 and Substance P, Bull HA, Cohen J, Dowd PM, 787

Restriction fragment length polymorphism (RFLP) typing, 218
Reticular dermis, acellular, 843
Retinoic acid, all-trans, 917
Retinoid
  absorption, percutaneous, 159
  inhibitors, effects of on the formation of acantholysis, 644
Retrovirus-Mediated Transduction of Cultured Epidermal Keratinocytes, Garlick JA, Katz AB, Fenjves ES, Taichman LB, 824
Review and Mathematical Analysis of Circadian Rhythms in Cell Proliferation in Mouse, Rat, and Human Epidermis, A, Brown WR, 273
Rickettsial illness with features of bartonellosis, 812
RNA, 91
Role of Hair Follicles in the Repigmentation of Vitiligo, Cui J, Shen L-y, Wang G-c, 410
Ruby laser, 131

S

Salivary gland epithelium, 713
Scleroderma, systemic, 667

Sebaceous gland hyperplasia, 85
Selective Inactivation of Human Neutrophil Elastase by Synthetic Tannin, Mrowietz U, Ternowitz T, Wiedow O, 529
Sequelae, inflammatory, 1019
Serum retinol-binding protein, 298
Sesquiterpene-α-methylene-γ-butyrolactone, 473
Shope carcinoma, 327
Sialylated tetraantennary sugar chains, 735
Simian digital arteries, 1024
Simple Mucin-Type Carbohydrates in Oral Stratified Squamous and Salivary Gland Epithelia, Mandel U, Petersen OW, Sørensen H, Vedtofte P, Hakomori S-I, Clausen H, Dabelsteen E, 713
Sites of Iontophoretic Current Flow Into the Skin: Identification and Characterization with the Vibrating Probe Electrode, Cullander C, Guy RH, 55
Skin
  abnormal, 1,25-dihydroxyvitamin D_3 receptors in, 230
  cancers, human nonmelanoma, 880
  fibroblasts, 898
  human aged, 938
  irritation, sodium lauryl sulfate-induced, 927
  normal
  1,25-dihydroxyvitamin D_3 receptors in, 230
  NAP-1/IL-8 immunoreactivity, 606
  psoriatic, 606
Skin Penetration: Hazardous Chemicals at Work, by Phillippe Grandjean, *Book Review*, Maibach HI, 1087
Small-angle x-ray scattering, 1005
sodium chloride split skin, 312
Sodium lauryl sulfate-induced skin irritation, 927
Sodium lauryl sulphate, 917
Soluble CD23, 600
Soluble Interleukin-2 Receptor Levels in Patients with Dermatitis Herpetiformis, Ward MM, Pisetsky DS, Hall RP, 568
Southern Analysis of the 230-kD Bullous Pemphigoid Antigen Gene in Normal Humans, Animals, and Patients with Junctional Epidermolysis Bullosa, Amagai M, Elgart GW, Klaus-Kovtun V, Stanley JR, 249
Specific High-Affinity Binding of Fatty Acids to Epidermal Cytosolic Proteins, Raza H, Chung WL, Mukhtar H, 323
Specific Nucleotide Sequence of HLA-C is Strongly Associated with Psoriasis Vulgaris, Asahina A, Akazaki S, Nakagawa H, Kuwata S, Tokunaga K, Ishibashi Y, Juji T, 254
Squamous
  cell carcinoma, 495
  epithelium, oral stratified, 713
  skin tumors, UV light-induced, 830
Squamous Carcinoma Cell Lines Produce 1,25 Dihydroxyvitamin D, but Fail to Respond to Its Prodifferentiating Effect, Bikle DD, Pillai S, Gee E, 435
Squamous cell carcinoma, 495
SS-A/Ro, 604
Stable Expression of Transfected Human Involucrin Gene in Various Cell Types: Evidence for In Situ Cross-Linking by Type I and Type II Transglutaminase, Rorke EA, Eckert RL, 543
Steady-State mRNA Levels of Collagen I, III, Fibronectin, and Collagenase in Skin Biopsies of Systemic Sclerosis Patients, Herrmann K, Heckmann M, Kulozik M, Haustein UF, Krieg T, 219
Stereographic and Stereometric Study of Sebaceous Gland Hyperplasia in Rabbit Pinnas Induced by Topically Applied Substances, Ito M, Ikeda K, Yokoyama H, Motoyoshi K, Sato Y, Hashimoto K, 85
Steroid inhibitors, effects of on the formation of acantholysis, 644
Stimulation of Collagen and Glycosaminoglycan Production in Cultured Human Adult Dermal Fibroblasts by Recombinant Human Interleukin 6, Duncan MR, Berman B, 686
Stratum corneum, 874
Structural Aberration of the Rough Endoplasmic Reticulum and Melanosome Compartmentalization in Long-Term Cultures of Melanocytes from Vitiligo Patients, Boissy RE, Liu Y-Y, Medrano EE, Nordlund JJ, 395
Structural Investigations of Human Stratum Corneum by Small Angle X-Ray Scattering, Bouwstra JA, Gooris GS, van der Spek JA, Bras W, 1005
Studies of the Modulation of MHC Antigen and Cell Adhesion Molecule Expression on Human Dermal Microvascular Endothelial Cells, Swerlick RA, Garcia-Gonzalez E, Kubota Y, Xu Y, Lawley TJ, 190
Subclass Distribution of IgG Autoantibodies in Cicatricial Pemphigoid and Epidermolysis Bullosa Acquisita, The, Bernard P, Prost C, Aucouturier P, Durepaire N, Denis F, Bonnetblanc J-M, 259
Substance P, 787
Successful Murine Model for Contact Sensitization to a Sesquiterpene-α-Methylene-γ-Butyrolactone: Sensitization to Alantolactone in Four Strains of Mice, A, Fraginals R, Blasi NA, Lepoittevin J-P, Benezra C, 473
Sugar chains, sialylated tetraantennary, 735
Sunscreens, topical, 629
Symptoms of Notalgia Paresthetica May Be Explained by Increased Dermal Innervation, Springall DR, Karanth SS, Kirkham N, Darley CR, Polak JM, 555
Systemic
  lupus erythematosus, 80
  scleroderma, 667
  sclerosis patients, skin biopsies of, 219

T

Tficell lines isolated from psoriatic lesions, 606
T lymphocytes
  IL-4-producing $CD4^+$ allergen-specific,389
  nickel-specific peripheral blood, 885
T-cell
  activation, allogeneic, 524
  lymphoma, cutaneous, 818
  receptor
  beta gene, 782
  variable regions in type I and type II psoriasis, 1053
T-Lymphocyte-Activating Properties of Epidermal Antigen-Presenting Cells from Normal and Psoriatic Skin: Evidence that Psoriatic Epidermal Antigen-Presenting Cells Resemble Cultured Normal Langerhans Cells, Demidem A, Taylor JR, Grammer SF, Streilein JW, 454
T-suppressor cells, 478
Tannin, synthetic, 529
Telopeptides, collagen, 580
Tetrachlorosalicylanilide (TCSA), 210
T4N5 liposomes, 147
TGF-α, 106
TGF-β, 34
TGF-β1
  and epidermodysplasia verruciformis, expression of, 862
  mRNA, 240
  upregulation by hypoxia, 634
TGFβ-1 and TNFα Expression in the Epidermis of Patients with Epidermodysplasia Verruciformis, Majewski S, Hunzelmann N, Nischt R, Eckes B, Rudnicka L, Orth G, Krieg T, Jablonska S, 862
Thymidine phosphorylase activity in psoriatic lesions, 286
Thymidine Salvage Changes with Differentiation in Human Keratinocytes In Vitro, Schwartz PM, Barnett SK, Reuveni H, 1057
TNFα, 862
Tongue epithelium, 421
Topical sunscreens, 629
Transfected HeLa cells, 354
Transforming Growth Factor-β Improves Healing of Radiation-Impaired Wounds, Bernstein EF, Harisiadis L, Salomon G, Norton J, Sollberg S, Uitto J, Glatstein E, Glass J, Talbot T, Russo A, Mitchell JB, 430
Transforming Growth Factor-β Regulates the Adhesive Interactions Between Molecular Cells and Microvascular Endothelium, Cai J-P, Falanga V, Chin Y-H, 169
Transforming Growth Factor-Beta Stimulates Wound Healing and Modulates Extracellular Matrix Gene Expression in Pig Skin: Incisional Wound Model, Quaglino D Jr, Nanney LB, Ditesheim JA, Davidson JM, 34
Transglutaminase
  human epidermal, 156
  types I and II, in situ cross-linking by, 543
Transient Expression of Mouse Hair Keratins in Transfected HeLa Cells: Interactions Between Hard" and Soft" Keratins, Yu D-w, Pang SY-Y, Checkla DM, Freedberg IM, Sun T-T, Bertolino AP, 354
Trichophyton rubrum, 955

Tumor necrosis factor, 55-kd, 911
Tumor-Infiltrating CD3$^-$-NK Cells Are More Effective than CD3$^+$ T Cells in Killing Autologous Melanoma Cells, Azogui O, Avril M-F, Margulis A, Guillard M, Caillou B, Prade M, 425
Tumorigenicity, establishment of culture cell lines of, 327
Tumors, UV light-induced squamous skin, 830
12 (S)-hydroxyeicosatetraenoic acid [12(S)-HETE], 1028
230-kD bullous pemphigoid antigen, 249
Type I and Type II Psoriasis Show a Similar Usage of T-Cell Receptor Variable Regions, Schmitt-Egenolf M, Boehncke W-H, Christophers E, Stander M, Sterry W, 1053
Tyrosinamidomethyl dihydrohalo-isoxazoles, 156
Tyrosinase expression and activity, 868

U

Ultrastructural Discrimination Between Malignant Melanomas and Benign Nevocytic Nevi Using High-Resolution Image and Multivariate Analyses, Stolz W, Abmayr W, Schmoeckel C, Landthaler M, Massoudy P, Braun-Falco O, 903
Ultrastructural Similarities Between Epidermal Langerhans Cell Birbeck Granules and the Surface-Connected Canalicular System of EDTA-Treated Human Blood Platelets, Hanau D, Gachet C, Schmitt DA, Ohlmann P, Brisson C, Fabre M, Cazenave J-P, 756
Ultraviolet(UV)
  light exposure
    exposure of epidermal homogenate to, 1044
    followed by radical reaction of epidermal homogenate, 115
  light-induced squamous skin tumors, Langerhans cell migration into, 830
  radiation, and regulation of GM-CSF and IL-3 production, 203
  radiation-induced immunosuppression, 624
Ultraviolet B light, effects on cutaneous immune responses, 729
Ultraviolet Light-Induced Augmentation of SS-A/Ro, *Letter*, Wollina U, Schaarschmidt H, Knopf B, Nieboer C, Velthuis PJ, 604
Ultraviolet-B, inhibition of [12(S)-HETE] binding to epidermal cells by, 1028
Upper Keratinocytes of Psoriatic Skin Lesions Express High Levels of NAP-1/IL-8 mRNA In Situ, Gillitzer R, Berger R, Mielke V, Muller C, Wolff K, Stingl G, 73
Urokinase-type plasminogen activator, 803
UVA radiation, 50, 995
UVR-induced DNA damage, 942

V

Vascular endothelium, cultured, 511
Velocimetry, laser Doppler, 1013
Verruciformis, epidermodysplasia, 862
Vesiculopustular dermatosis, intercellular IgA, 742
Vibrating probe electrode, 55
Vitamin D_3, 562
Vitiligo
  low catalase levels in the epidermis of patients with, 1078
  repigmentation in, 410

W

Wound healing, stimulated by TGF-β, 34

X

X-ray scattering, small-angle, 1005